

L Number	Hits	Search Text	DB	Time stamp
26	2	(bellows or boot) same thickness same (3mm or 2mm)	USPAT	2003/10/01 16:54
27	15	(bellows or boot) same thickness same (3mm or 2mm)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 16:54
-	251	464/175.ccls.	USPAT	2003/09/16 12:12
-	735	277/634-636.ccls.	USPAT	2003/09/16 12:12
-	44	277/634-636.ccls. and (stretch or stretchable)	USPAT	2003/09/30 17:17
-	9	464/175.ccls. and (stretch or stretchable)	USPAT	2003/09/16 12:22
-	79062	gaiter or bellow	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 12:23
-	240439	axial same (stretch or stretchable or extend or extending or extendable or stretching)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 13:34
-	1716	(gaiter or bellow) same (axial same (stretch or stretchable or extend or extending or extendable or stretching))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/16 12:28
-	2	((gaiter or bellow) same (axial same (stretch or stretchable or extend or extending or extendable or stretching))) same (constant same velocity same joint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:36
-	2105	stretch same break	USPAT	2003/09/30 16:40
-	25	minimum same stretch same break	USPAT	2003/09/30 16:40
-	38	(stretch same break) and boot	USPAT	2003/09/30 16:58
-	3894	stretch same break	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:40
-	69	(stretch same break) and (boot or bellow)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:43
-	31	((stretch same break) and (boot or bellow)) not ((stretch same break) and boot)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:47
-	9	(boot or bellow) same (synthetic same rubber same compound)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:50
-	5	(gaiter or boot or bellow) same (neoprene same rubber same compound)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 16:58
-	18	(boot or bellows or gaiter) and ("115 precentage" or "115 percent" or "115%")	USPAT	2003/09/30 16:59

-	23	(boot or bellows or gaiter) and ("115 percentage" or "115 percent" or "115%")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:00
-	376	(stretch or stretchable or expand or expandable or expanded stretched or stretchable) and ("115 percentage" or "115 percent" or "115%")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:00
-	5	((stretch or stretchable or expand or expandable or expanded stretched or stretchable) and ("115 percentage" or "115 percent" or "115%")) and (boot or bellows or gaiter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:07
-	19340	thickness and (boot or bellows or gaiter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:07
-	1003	(varying same thickness) and (boot or bellows or gaiter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:08
-	124	(varying same thickness) same (boot or bellows or gaiter)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:08
-	735	277/634-636.ccls.	USPAT	2003/09/30 17:19
-	142123	boot or bellows	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:19
-	141245	(circumferential or radial or radially or circular or circumferentially) same (stretch or stretchable or expand or expandable or compressible or compressed or compress or expanded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:20
-	2026	(boot or bellows) same ((circumferential or radial or radially or circular or circumferentially) same (stretch or stretchable or expand or expandable or compressible or compressed or compress or expanded))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:20
-	18378	(circumferential or radial or radially or circular or circumferentially) adj (stretch or stretchable or expand or expandable or compressible or compressed or compress or expanded)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:20
-	131	(boot or bellows) same ((circumferential or radial or radially or circular or circumferentially) adj (stretch or stretchable or expand or expandable or compressible or compressed or compress or expanded))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/30 17:21
-	1	((gaiter or bellow) same (radial same (stretch or stretchable or extend or extending or extendable or stretching))) same (constant same velocity same joint)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:37
-	5	(boot or bellow) same (neoprene same rubber same compound)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/01 12:38

-	8	(boot or bellow) same (neoprene same compound)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/01 12:38
-	15	(boot or bellow) same (neoprene same compound)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/10/01 12:38